

EU-Type Examination Certificate

No. E6A 072237 0074 Rev. 02

Holder of Certificate: **Shenzhen INVT Electric Co., Ltd.**
INVT Guangming Technology Building, Songbai Road
Matian, Guangming District
518106 Shenzhen
PEOPLE'S REPUBLIC OF CHINA

Product: **Electronic frequency converter
(Frequency Inverter)**

This EU-Type Examination Certificate is issued according to the Directive 2014/30/EU relating to electromagnetic compatibility. It confirms that the listed apparatus complies with such aspects of the requirements of the EMC directive as specified by the manufacturer or his authorized representative in the European Community and applies only to the sample and its technical documentation submitted for testing and certification. This Type Examination does not contain any statements pertaining to the EMC protection requirements governed by other laws which serve to implement EU Directives other than the aforementioned Directive 2014/30/EU. For details see: www.tuvsud.com/ps-cert

Evaluation Report No.: 687601107605

Date, 2020-07-23


(Volker Albrecht)

EU-Type Examination Certificate

No. E6A 072237 0074 Rev. 02

Model(s):

GD300-132G-4, GD300-160P-4, GD300-160G-4,
 GD300-185P-4, GD300-185G-4, GD300-200P-4,
 GD300-200G-4, GD300-220P-4, GD300-220G-4,
 GD300-250P-4, GD300-250G-4, GD300-280P-4,
 GD300-280G-4, GD300-315P-4, GD300-315G-4,
 GD300-350P-4, GD300-350G-4, GD300-355G-4,
 GD300-400P-4, GD300-400G-4, GD300-450G-4,
 GD300-500G-4, GD200-132G-4, GD200-160P-4,
 GD200-160G-4, GD200-185P-4, GD200-185G-4,
 GD200-200P-4, GD200-200G-4, GD200-220P-4,
 GD200-220G-4, GD200-250P-4, GD200-250G-4,
 GD200-280P-4, GD200-280G-4, GD200-315P-4,
 GD200-315G-4, GD200-350P-4, GD200-350G-4,
 GD200-400P-4, GD200-400G-4, GD200-500G-4,
 GD200A-132G-4, GD200A-160P-4, GD200A-160G-4,
 GD200A-185P-4, GD200A-185G-4, GD200A-200P-4,
 GD200A-200G-4, GD200A-220P-4, GD200A-220G-4,
 GD200A-250P-4, GD200A-250G-4, GD200A-280P-4,
 GD200A-280G-4, GD200A-315P-4, GD200A-315G-4,
 GD200A-350P-4, GD200A-350G-4, GD200A-400P-4,
 GD200A-355G-4, GD200A-400G-4, GD200A-450G-4,
 GD200A-500G-4, GD200A-132G/160P-4,
 GD200A-160G/185P-4, GD200A-185G/200P-4,
 GD200A-200G/220P-4, GD200A-220G/250P-4,
 GD200A-250G/280P-4, GD200A-280G/315P-4,
 GD200A-315G/355P-4, GD200A-355G/400P-4
 GD350A-132G/160P-4, GD350A-160G/185P-4,
 GD350A-185G/200P-4, GD350A-200G/220P-4,
 GD350A-220G/250P-4, GD350A-250G/280P-4,
 GD350A-280G/315P-4, GD350A-315G/355P-4,
 GD350A-355G/400P-4, GD350A-400G/450P-4,
 GD350A-450G/500P-4, GD350A-500G-4

Description of Object:

Rated Input: See below table for details

Rated Output: See below table for details

Protection Class: I

Remark:

- All aspects of the essential requirements were assessed.
- Emission: Category C3
- Immunity: Second environment

EU-Type Examination Certificate

No. E6A 072237 0074 Rev. 02

Model No.	Rated Input	Rated Output *
GD300-132G-4	3 PH, 380-480V, 47-63Hz, 265.0A	3 PH, 0-Uinput, 0-400Hz, 260.0A, 132.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 265.0A	
GD300-160P-4	3 PH, 380-480V, 47-63Hz, 310.0A	3 PH, 0-Uinput, 0-400Hz, 305.0A, 160.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 310.0A	
GD300-160G-4	3 PH, 380-480V, 47-63Hz, 310.0A	3 PH, 0-Uinput, 0-400Hz, 305.0A, 160.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 310.0A	
GD300-185P-4	3 PH, 380-480V, 47-63Hz, 345.0A	3 PH, 0-Uinput, 0-400Hz, 340.0A, 185.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 345.0A	
GD300-185G-4	3 PH, 380-480V, 47-63Hz, 345.0A	3 PH, 0-Uinput, 0-400Hz, 340.0A, 185.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 345.0A	
GD300-200P-4	3 PH, 380-480V, 47-63Hz, 385.0A	3 PH, 0-Uinput, 0-400Hz, 380.0A, 200.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 385.0A	
GD300-200G-4	3 PH, 380-480V, 47-63Hz, 385.0A	3 PH, 0-Uinput, 0-400Hz, 380.0A, 200.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 385.0A	
GD300-220P-4	3 PH, 380-480V, 47-63Hz, 430.0A	3 PH, 0-Uinput, 0-400Hz, 425.0A, 220.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 430.0A	
GD300-220G-4	3 PH, 380-480V, 47-63Hz, 430.0A	3 PH, 0-Uinput, 0-400Hz, 425.0A, 220.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 430.0A	
GD300-250P-4	3 PH, 380-480V, 47-63Hz, 485.0A	3 PH, 0-Uinput, 0-400Hz, 480.0A, 250.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 485.0A	
GD300-250G-4	3 PH, 380-480V, 47-63Hz, 485.0A	3 PH, 0-Uinput, 0-400Hz, 480.0A, 250.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 485.0A	
GD300-280P-4	3 PH, 380-480V, 47-63Hz, 545.0A	3 PH, 0-Uinput, 0-400Hz, 530.0A, 280.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 545.0A	
GD300-280G-4	3 PH, 380-480V, 47-63Hz, 545.0A	3 PH, 0-Uinput, 0-400Hz, 530.0A, 280.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 545.0A	
GD300-315P-4	3 PH, 380-480V, 47-63Hz, 610.0A	3 PH, 0-Uinput, 0-400Hz, 600.0A, 315.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 610.0A	
GD300-315G-4	3 PH, 380-480V, 47-63Hz, 610.0A	3 PH, 0-Uinput, 0-400Hz, 600.0A, 315.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 610.0A	
GD300-350P-4	3 PH, 380-480V, 47-63Hz, 625.0A	3 PH, 0-Uinput, 0-400Hz, 650.0A, 350.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 625.0A	
GD300-350G-4	3 PH, 380-480V, 47-63Hz, 625.0A	3 PH, 0-Uinput, 0-400Hz, 650.0A, 350.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 625.0A	
GD300-355G-4	3 PH, 380-480V, 47-63Hz, 625.0A	3 PH, 0-Uinput, 0-400Hz, 650.0A, 355.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz,	

EU-Type Examination Certificate

No. E6A 072237 0074 Rev. 02

	625.0A	
GD300-400P-4	3 PH, 380-480V, 47-63Hz, 715.0A	3 PH, 0-Uinput, 0-400Hz, 720.0A, 400.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 715.0A	
GD300-400G-4	3 PH, 380-480V, 47-63Hz, 715.0A	3 PH, 0-Uinput, 0-400Hz, 820.0A, 400.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 715.0A	
GD300-450G-4	3 PH, 380-480V, 47-63Hz, 840.0A	3 PH, 0-Uinput, 0-400Hz, 820.0A, 450.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 840.0A	
GD300-500G-4	3 PH, 380-480V, 47-63Hz, 890.0A	3 PH, 0-Uinput, 0-400Hz, 860.0A, 500.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 890.0A	

* Remark: Uinput - Rated Input Voltage

Model No.	Rated Input	Rated Output *
GD200-132G-4	3 PH, 380-480V, 47-63Hz, 265.0A	3 PH, 0-Uinput, 0-400Hz, 260.0A, 132.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 265.0A	
GD200-160P-4	3 PH, 380-480V, 47-63Hz, 310.0A	3 PH, 0-Uinput, 0-400Hz, 305.0A, 160.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 310.0A	
GD200-160G-4	3 PH, 380-480V, 47-63Hz, 310.0A	3 PH, 0-Uinput, 0-400Hz, 305.0A, 160.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 310.0A	
GD200-185P-4	3 PH, 380-480V, 47-63Hz, 345.0A	3 PH, 0-Uinput, 0-400Hz, 340.0A, 185.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 345.0A	
GD200-185G-4	3 PH, 380-480V, 47-63Hz, 345.0A	3 PH, 0-Uinput, 0-400Hz, 340.0A, 185.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 345.0A	
GD200-200P-4	3 PH, 380-480V, 47-63Hz, 385.0A	3 PH, 0-Uinput, 0-400Hz, 380.0A, 200.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 385.0A	
GD200-200G-4	3 PH, 380-480V, 47-63Hz, 385.0A	3 PH, 0-Uinput, 0-400Hz, 380.0A, 200.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 385.0A	
GD200-220P-4	3 PH, 380-480V, 47-63Hz, 430.0A	3 PH, 0-Uinput, 0-400Hz, 425.0A, 220.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 430.0A	
GD200-220G-4	3 PH, 380-480V, 47-63Hz, 430.0A	3 PH, 0-Uinput, 0-400Hz, 425.0A, 220.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 430.0A	
GD200-250P-4	3 PH, 380-480V, 47-63Hz, 485.0A	3 PH, 0-Uinput, 0-400Hz, 480.0A, 250.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 485.0A	
GD200-250G-4	3 PH, 380-480V, 47-63Hz, 485.0A	3 PH, 0-Uinput, 0-400Hz, 480.0A, 250.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 485.0A	
GD200-280P-4	3 PH, 380-480V, 47-63Hz, 545.0A	3 PH, 0-Uinput, 0-400Hz, 530.0A, 280.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 545.0A	
GD200-280G-4	3 PH, 380-480V, 47-63Hz, 545.0A	3 PH, 0-Uinput, 0-400Hz, 530.0A, 280.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 545.0A	

EU-Type Examination Certificate

No. E6A 072237 0074 Rev. 02

	545.0A	
GD200-315P-4	3 PH, 380-480V, 47-63Hz, 610.0A	3 PH, 0-Uinput, 0-400Hz, 600.0A, 315.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 610.0A	
GD200-315G-4	3 PH, 380-480V, 47-63Hz, 610.0A	3 PH, 0-Uinput, 0-400Hz, 600.0A, 315.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 610.0A	
GD200-350P-4	3 PH, 380-480V, 47-63Hz, 625.0A	3 PH, 0-Uinput, 0-400Hz, 650.0A, 350.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 625.0A	
GD200-350G-4	3 PH, 380-480V, 47-63Hz, 625.0A	3 PH, 0-Uinput, 0-400Hz, 650.0A, 350.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 625.0A	
GD200-400P-4	3 PH, 380-480V, 47-63Hz, 715.0A	3 PH, 0-Uinput, 0-400Hz, 720.0A, 400.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 715.0A	
GD200-400G-4	3 PH, 380-480V, 47-63Hz, 715.0A	3 PH, 0-Uinput, 0-400Hz, 720.0A, 400.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 715.0A	
GD200-500G-4	3 PH, 380-480V, 47-63Hz, 890.0A	3 PH, 0-Uinput, 0-400Hz, 860.0A, 500.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 890.0A	

Model No.	Rated Input	Rated Output *
GD200A-132G-4	3 PH, 380-480V, 47-63Hz, 265.0A	3 PH, 0-Uinput, 0-400Hz, 260.0A, 132.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 265.0A	
GD200A-160P-4	3 PH, 380-480V, 47-63Hz, 310.0A	3 PH, 0-Uinput, 0-400Hz, 305.0A, 160.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 310.0A	
GD200A-132G/160P-4	3 PH, 380-480V, 47-63Hz, 265/310A	3 PH, 0-Uinput, 0-400Hz, 260/305A, 132/160kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 265/310A	
GD200A-160G-4	3 PH, 380-480V, 47-63Hz, 310.0A	3 PH, 0-Uinput, 0-400Hz, 305.0A, 160.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 310.0A	
GD200A-185P-4	3 PH, 380-480V, 47-63Hz, 345.0A	3 PH, 0-Uinput, 0-400Hz, 340.0A, 185.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 345.0A	
GD200A-160G/185P-4	3 PH, 380-480V, 47-63Hz, 310/345A	3 PH, 0-Uinput, 0-400Hz, 305/340A, 160/185kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 310/345A	
GD200A-185G-4	3 PH, 380-480V, 47-63Hz, 345.0A	3 PH, 0-Uinput, 0-400Hz, 340.0A, 185.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 345.0A	
GD200A-200P-4	3 PH, 380-480V, 47-63Hz, 385.0A	3 PH, 0-Uinput, 0-400Hz, 380.0A, 200.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 385.0A	
GD200A-185G/200P-4	3 PH, 380-480V, 47-63Hz, 345/385A	3 PH, 0-Uinput, 0-400Hz, 340/380A, 185/200kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 345/385A	
GD200A-200G-4	3 PH, 380-480V, 47-63Hz, 385.0A	3 PH, 0-Uinput, 0-400Hz, 380.0A, 200.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 385.0A	

EU-Type Examination Certificate

No. E6A 072237 0074 Rev. 02

GD200A-220P-4	3 PH, 380-480V, 47-63Hz, 430.0A	3 PH, 0-Uinput, 0-400Hz, 425.0A, 220.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 430.0A	
GD200A-200G/220P-4	3 PH, 380-480V, 47-63Hz, 385/430A	3 PH, 0-Uinput, 0-400Hz, 380/425A, 200/220kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 385/430A	
GD200A-220G-4	3 PH, 380-480V, 47-63Hz, 430.0A	3 PH, 0-Uinput, 0-400Hz, 425.0A, 220.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 430.0A	
GD200A-250P-4	3 PH, 380-480V, 47-63Hz, 485.0A	3 PH, 0-Uinput, 0-400Hz, 480.0A, 250.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 485.0A	
GD200A-220G/250P-4	3 PH, 380-480V, 47-63Hz, 430/485A	3 PH, 0-Uinput, 0-400Hz, 425/480A, 220/250kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 430/485A	
GD200A-250G-4	3 PH, 380-480V, 47-63Hz, 485.0A	3 PH, 0-Uinput, 0-400Hz, 480.0A, 250.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 485.0A	
GD200A-280P-4	3 PH, 380-480V, 47-63Hz, 545.0A	3 PH, 0-Uinput, 0-400Hz, 530.0A, 280.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 545.0A	
GD200A-250G/280P-4	3 PH, 380-480V, 47-63Hz, 485/545A	3 PH, 0-Uinput, 0-400Hz, 480/530A, 250/280kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 485/545A	
GD200A-280G-4	3 PH, 380-480V, 47-63Hz, 545.0A	3 PH, 0-Uinput, 0-400Hz, 530.0A, 280.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 545.0A	
GD200A-315P-4	3 PH, 380-480V, 47-63Hz, 610.0A	3 PH, 0-Uinput, 0-400Hz, 600.0A, 315.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 610.0A	
GD200A-280G/315P-4	3 PH, 380-480V, 47-63Hz, 545/610A	3 PH, 0-Uinput, 0-400Hz, 530/600A, 280/315kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 545/610A	
GD200A-315G-4	3 PH, 380-480V, 47-63Hz, 610.0A	3 PH, 0-Uinput, 0-400Hz, 600.0A, 315.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 610.0A	
GD200A-350P-4	3 PH, 380-480V, 47-63Hz, 625.0A	3 PH, 0-Uinput, 0-400Hz, 650.0A, 350.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 625.0A	
GD200A-315G/350P-4	3 PH, 380-480V, 47-63Hz, 610/625A	3 PH, 0-Uinput, 0-400Hz, 600/650A, 315/355kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 610/625A	
GD200A-350G-4	3 PH, 380-480V, 47-63Hz, 625.0A	3 PH, 0-Uinput, 0-400Hz, 650.0A, 350.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 625.0A	
GD200A-355G-4	3 PH, 380-480V, 47-63Hz, 625.0A	3 PH, 0-Uinput, 0-400Hz, 650.0A, 355.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 625.0A	
GD200A-400P-4	3 PH, 380-480V, 47-63Hz, 715.0A	3 PH, 0-Uinput, 0-400Hz, 720.0A, 400.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 715.0A	
GD200A-355G/400P-4	3 PH, 380-480V, 47-63Hz, 625/715A	3 PH, 0-Uinput, 0-400Hz, 650/720A, 355/400kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 625/715A	

EU-Type Examination Certificate

No. E6A 072237 0074 Rev. 02

GD200A-400G-4	3 PH, 380-480V, 47-63Hz, 715.0A	3 PH, 0-Uinput, 0-400Hz, 720.0A, 400.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 715.0A	
GD200A-450G-4	3 PH, 380-480V, 47-63Hz, 840.0A	3 PH, 0-Uinput, 0-400Hz, 820.0A, 450.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 840.0A	
GD200A-500G-4	3 PH, 380-480V, 47-63Hz, 890.0A	3 PH, 0-Uinput, 0-400Hz, 860.0A, 500.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 890.0A	

* Remark: Uinput - Rated Input Voltage

Model No.	Rated Input	Rated Output *
GD350A-132G/160P-4	3 PH, 380-480V, 47-63Hz, 265/310A	3 PH, 0-Uinput, 0-400Hz, 260/305A, 132/160kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 265/310A	
GD350A-160G/185P-4	3 PH, 380-480V, 47-63Hz, 310/345A	3 PH, 0-Uinput, 0-400Hz, 305/340A, 160/185kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 310/345A	
GD350A-185G/200P-4	3 PH, 380-480V, 47-63Hz, 345/385A	3 PH, 0-Uinput, 0-400Hz, 340/380A, 185/200kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 345/385A	
GD350A-200G/220P-4	3 PH, 380-480V, 47-63Hz, 385/430A	3 PH, 0-Uinput, 0-400Hz, 380/425A, 200/220kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 385/430A	
GD350A-220G/250P-4	3 PH, 380-480V, 47-63Hz, 430/460A	3 PH, 0-Uinput, 0-400Hz, 425/480A, 220/250kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 430/460A	
GD350A-250G/280P-4	3 PH, 380-480V, 47-63Hz, 460/500A	3 PH, 0-Uinput, 0-400Hz, 480/530A, 250/280kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 460/500A	
GD350A-280G/315P-4	3 PH, 380-480V, 47-63Hz, 500/580A	3 PH, 0-Uinput, 0-400Hz, 530/600A, 280/315kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 500/580A	
GD350A-315G/355P-4	3 PH, 380-480V, 47-63Hz, 580/625A	3 PH, 0-Uinput, 0-400Hz, 600/650A, 315/355kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 580/625A	
GD350A-355G/400P-4	3 PH, 380-480V, 47-63Hz, 625/715A	3 PH, 0-Uinput, 0-400Hz, 650/720A, 355/400kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 625/715A	
GD350A-400G/450P-4	3 PH, 380-480V, 47-63Hz, 715/840A	3 PH, 0-Uinput, 0-400Hz, 720/820A, 400/450kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 715/840A	
GD350A-450G/500P-4	3 PH, 380-480V, 47-63Hz, 840/890A	3 PH, 0-Uinput, 0-400Hz, 820/860A, 450/500kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 840/890A	
GD350A-500G-4	3 PH, 380-480V, 47-63Hz, 890.0A	3 PH, 0-Uinput, 0-400Hz, 860.0A, 500.0kW
	3 PH, 380V(-15%)-440V(+10%), 47-63Hz, 890.0A	

* Remark: Uinput - Rated Input Voltage

Tested EN IEC 61800-3:2018
according to:

Page 7 of 7

TÜV SÜD Product Service GmbH is notified Body to the Directive 2014/30/EU relating to electromagnetic compatibility with the identification number 0123.

TÜV SÜD Product Service GmbH • Certification Body • Ridlerstraße 65 • 80339 Munich • Germany